

Welcome to Cross Creeks National Wildlife Refuge, one of over 555 national wildlife refuges administered by the U.S. Fish and Wildlife Service. The 8,862 acre refuge stretches 11 miles on either side of Lake Barkley on the Cumberland River in Stewart County, Tennessee. The combination of deciduous woodlands, open water, marsh and croplands provide excellent habitat for various species of birds. Manipulation of water levels in refuge pools resulting in moist soil areas rich in natural plant and animal life create unlimited food resources for wading birds, marsh and shorebirds, raptors, songbirds and waterfowl.

Cross Creeks National Wildlife Refuge The refuge is approximately four miles east of Dover, Tennessee off of Highway 49. Travel east from Dover three miles, turn left at the refuge sign and proceed one mile. Signs will direct you to the refuge office/visitor center and main entrance to the refuge.

 $How \ to \ use \ your \\ checklist$

The bird checklist was designed to be informative and simple to use. The list is arranged in the order established by the American Ornithological Union. Symbols which appear in this checklist represent the following:

Seasonal appearance Sp-Spring, March-May S-Summer, June-August F-Fall, September-November W-Winter, December-February

Seasonal abundance

- a abundant (a common species which is very numerous)
- c common (certain to be seen in suitable habitat)
- u uncommon (present but not certain to be seen)
- o occasional (seen only a few times during a season)
- r rare (seen only once or twice a year; some years not at all)
- x accidental (out of normal species range)
- * nests on the refuge.
- +- Irruptive species seen most frequently during invasion years (2-10 year intervals)

This checklist includes 251 species of birds and is based on observations by refuge personnel and visiting ornithologists. Another 26 species which have been observed very infrequently are presently listed under "Accidental" birds. If you should find an unlisted species, please let us know at Refuge Headquarters. We appreciate your help in updating our records.

					·
	SP	S	F	W	
Loons					
Common Loon	0		u	0	
Grebes					
Pied-billed Grebe	c		c	u	
Horned Grebe	r		0	r	
IIIIIII GA GI GAG	-		Ü	•	
Pelicans and their Allies					
Double-crested Cormorant	0		0	0	
Anhinga		\mathbf{r}			
Herons, Egrets and their Allies					
American Bittern	0		0	r	
Least Bittern Great Blue Heron	0	r	0		
Great Egret	c	c	C	c r	
Snowy Egret	u r	u r	u r	r	
Little Blue Heron	u	r u	r u		
Cattle Egret	u	u 0	0		
Green Heron*	c	c	c		
Black-crowned Night-Heron	u	c	c	r	
Yellow-crowned Night-Heron	0	u	r	1	
lenow erowned right freron	O	u	1		
Ibises and Storks					
White Ibis+	r		r		
Wood Stork+	r	\mathbf{r}	r		
Waterfowl Tundra Swan			70		
Greater White-fronted Goose	70		r	70	
Snow Goose	r		r	r	
Canada Goose*	0		u	u	
Wood Duck*	c c	c c	a c	a u	
Green-winged Teal	c	C	c	c	
American Black Duck	u	r	a	a	
Mallard*	u	u	a	a	
Northern Pintail	u	и	c	c	
Blue-winged Teal	c	\mathbf{r}	c	r	
Northern Shoveler	c	1	u	u	
Gadwall	u		c	c	
American Wigeon	u		c	c	
Canvasback	0		u	c	
Redhead	u		u	u	
Ring-necked Duck	c		c	c	
Greater Scaup	r			\mathbf{r}	
Lesser Scaup	u		u	u	
Common Goldeneye	0		0	u	
Bufflehead	0		0	0	
Hooded Merganser*	u		c	c	
Common Merganser	r		0	u	
Red-breasted Merganser	0		0	u	
Ruddy Duck	0		0	0	

					'
					· —
Vultures, Hawks and their Allies	SP	S	F	W	
Black Vulture*	c	c	c	u	
Turkey Vulture*	c	c	c	u	
Osprey	u		u		
Bald Eagle* Northern Harrier	u	u	u	u	
Sharp-shinned Hawk	u u		c c	c u	
Cooper's Hawk*	u	0	u	u	
Red-shouldered Hawk*	c	c	c	c	
Broad-winged Hawk*	u	0	u		
Red-tailed Hawk*	С	c	c	c	
Rough-legged Hawk+ Golden Eagle			r 0	r 0	
American Kestrel*	u	u	u	u	
Merlin	r		r		
Peregrine Falcon	r		r	r	
Callinga and Birda (Ovail Turkey					
Gallinaceous Birds (Quail, Turkey and their Allies)					
Wild Turkey*	0	0	0	0	
Northern Bobwhite*	c	c	c	c	
Rails, Gallinules, Coots and Cranes					
King Rail Virginia Rail	0		r	10	
Sora	o u		o u	$_{ m r}^{ m r}$	
Common Moorhen	0		0.2	-	
American Coot	u		c	u	
Sandhill Crane			r	r	
Shorebirds					
Black-bellied Plover			0		
Lesser Golden-Plover	u	\mathbf{r}	r		
Semipalmated Plover	u	0	u		
Piping Plover		r	r	_	
Killdeer* American Avocet	c	c r	$rac{\mathbf{c}}{\mathbf{r}}$	c	
Greater Yellowlegs	c	0	c		
Lesser Yellowlegs	c	0	c		
Solitary Sandpiper	c	0	u		
Willet Spotted Sandpiper		r	r		
Upland Sandpiper Upland Sandpiper	$\frac{\mathrm{c}}{\mathrm{r}}$	$\overset{ ext{o}}{ ext{r}}$	u r		
Sanderling	-	r	r		
Semipalmated Sandpiper	c	0	c		
Western Sandpiper		r	r		
Least Sandpiper	c	u	С		
White-rumped Sandpiper Baird's Sandpiper	0	r	r r		
Pectoral Sandpiper	c	0	c		
Dunlin			0		
Stilt Sandpiper	r	u	u		

	Q.D.	a	П	117
Buff broasted Candriner	SP	S	F	W
Buff-breasted Sandpiper Short-billed Dowitcher	0	0	r u	
Long-billed Dowitcher	$\overset{\mathrm{o}}{\mathbf{r}}$	O	r	
Common Snipe	c		u	c
American Woodcock*	u	0	0	\mathbf{r}
Wilson's Phalarope			r	
Bonaparte's Gull	0		0	0
Ring-billed Gull Herring Gull	u o		c	c o
Caspian Tern	0	\mathbf{r}	0	U
Common Tern	r	-	r	
Forster's Tern	0	\mathbf{r}	0	
Least Tern	r	\mathbf{r}		
Black Tern	u	r	0	
Pigeons, Doves				
Rock Dove*	0	0	0	0
Mourning Dove*	c	c	c	c
Cuckoos				
Black-billed Cuckoo	r		r	
Yellow-billed Cuckoo*	u	c	c	
Owls				
Eastern Screech-Owl*	u	u	u	u
Great Horned Owl*	u	u	u	u
Barred Owl*	c	c	c	c
Long-eared Owl	r		r	r
Short-eared Owl			r	\mathbf{r}
Nightiara				
Nightjars Common Nighthawk	u	u	u	
Chuck-will's-widow*	u	u	и	
Whip-poor-will*	c	c	0	
Swifts, Hummingbirds				
Chimney Swift*	u	c	c	
Ruby-throated Hummingbird*	u	С	u	
Kingfishers				
Belted Kingfisher*	c	c	c	c
Woodpeckers				
Red-headed Woodpecker*	u	u	u	u
Red-bellied Woodpecker*	c	С	c	c
Yellow-bellied Sapsucker Downy Woodpecker*	u c	c	u c	c c
Hairy Woodpecker*	c	c	c	c
Northern Flicker*	c	c	c	c
Pileated Woodpecker*	u	u	u	u

				'-
	~~	~	-	
Flycatchers	SP	S	F	W
Olive-sided Flycatcher	r		r	
Eastern Wood-Pewee*	c	c	u	
Yellow-bellied Flycatcher	r		r	
Acadian Flycatcher*	c	c	u	
Alder Flycatcher	r	.,	70	
Willow Flycatcher* Least Flycatcher	0	u	r	
Eastern Phoebe*	c	c	u	0
Great Crested Flycatcher*	c	c	0	
Eastern Kingbird*	c	c	u	
Larks Horned Lark				
Horned Lark	u	r	u	u
Martins and Swallows				
Purple Martin*	u	c	0	
Tree Swallow*	c	u	c	
Northern Rough-winged	u	u	u	
Swallow Bank Swallow		.,	0	
Cliff Swallow*	u u	u u	0	
Barn Swallow*	c	С	u	
				
Jays and Crows				
Blue Jay*	c	c	c	c
American Crow*	c	С	c	c
Chickadees and Titmice				
Carolina Chickadee*	c	c	c	c
Tufted Titmouse*	c	c	c	c
N. d. d. l				
Nuthatches Red-breasted Nuthatch+	0		0	0
White-breasted Nuthatch*	o u	u	o u	o u
	0.2	o.	O.	
Creepers				
Brown Creeper	u		u	u
Wrens				
Carolina Wren*	c	c	c	c
Bewick's Wren	r	r	r	r
House Wren	0	r	0	
Winter Wren	u		0	u
Sedge Wren	u	r	u	r
Marsh Wren	u		u	
Kinglets and Gnatcatchers				
Golden-crowned Kinglet	c		c	u
Ruby-crowned Kinglet	c		c	0
Blue-gray Gnatcatcher*	c	c	u	

						'
	SP	S	F	W	_	_
Bluebirds, Thrushes and Robin	D1	D	r	**		
Eastern Bluebird*	c	c	c	c		
Veery Gray-cheeked Thrush	u u		o u			
Swainson's Thrush	c		u			
Hermit Thrush	u		u	u		
Wood Thrush* American Robin*	c c	c c	u c	c		
	Ü	Ü		Ü		
Thrashers		_				
Gray Catbird* Northern Mockingbird*	c c	c c	u c	c		
Brown Thrasher*	c	c	c	u		
D: '						
PipitsAmerican Pipit	u		u	u		
American'i ipit	и		и	и		
Waxwings						
Cedar Waxwing	u	r	u	u		
Starling						
European Starling*	c	c	c	a		
Shrike						
Loggerhead Shrike*	u	u	u	u		
Vivoe						
Vireos White-eyed Vireo*	c	c	u			
Solitary Vireo	0	Ü	0			
Yellow-throated Vireo*	u	u	0			
—_Warbling Vireo* Philadelphia Vireo	u r	u	r			
Red-eyed Vireo*	c	c	u			
NA						
WarblersBlue-winged Warbler*	u	u	r			
Golden-winged Warbler	0	и	r			
Tennessee Warbler	c		c			
Orange-crowned Warbler Nashville Warbler	r		r			
Northern Parula*	c u	u	u u			
Yellow Warbler*	u	u	r			
Chestnut-sided Warbler	u		u			
Magnolia Warbler Cape May Warbler	u o		$rac{ ext{c}}{ ext{r}}$			
Black-throated Blue Warbler	$\overset{\mathrm{o}}{\mathrm{r}}$		r			
Yellow-rumped Warbler	c		c	u		
Black-throated Green Warbler Blackburnian Warbler	c		c			
Yellow-throated Warbler*	u u	u	u u			
Pine Warbler*	0	0	0	r		
Prairie Warbler	u	u	0			
						_

				'-
				l
	SP	S	F	W
Palm Warbler	u	B	u	**
Bay-breasted Warbler	u		c	
Blackpoll Warbler	c		r	
Cerulean Warbler	u	u	0	
Black-and-white Warbler	u	r	u	
——American Redstart	u	r	u	
Prothonotary Warbler*	c	c	u	
Worm-eating Warbler*	u	u	0	
Ovenbird	u		u	
Northern Waterthrush	u		u	
Louisiana Waterthrush*	c	c	r	
Kentucky Warbler*	u	c	u	
Connecticut Warbler	r			
Mourning Warbler	r			
Common Yellowthroat*	c	c	c	
Hooded Warbler*	u	u	r	
Wilson's Warbler	u		u	
Canada Warbler	r		r	
Yellow-breasted Chat*	c	c	0	
Tanagers				
Summer Tanager*	c	c	u	
Scarlet Tanager*	u	u	u	
New World Finches				
Northern Cardinal*	c	c	c	c
Rose-breasted Grosbeak	c		c	
Blue Grosbeak*	u	u	0	
Indigo Bunting*	c	c	c	
Dickcissel*	u	c	0	
Sparrows				
Eastern Towhee*	c	c	c	c
American Tree Sparrow+				0
Chipping Sparrow*	u	u	0	
Field Sparrow*	c	c	c	c
Vesper Sparrow	c		u	
Lark Sparrow	0	r	0	0
Savannah Sparrow	c	70	c	С
Grasshopper Sparrow	0	r	70	79
Le Conte's Sparrow Sharp-tailed Sparrow	r		r	r
			0	11
Fox Sparrow Song Sparrow*	u		u	u
	c	0	c	С
Lincoln's Sparrow Swamp Sparrow	u		u c	9
Swamp SparrowWhite-throated Sparrow	c			a
White-throated Sparrow White-crowned Sparrow	C		c u	a u
Dark-eyed Junco	u c		c	c
Lapland Longspur	r		0	0
	1		U	V

Blackbirds, Grackles, Cowbirds and Orioles	SP	S	F	W
Bobolink	u		u	
Red-winged Blackbird*	c	c	c	a
Eastern Meadowlark*	c	c	c	c
Rusty Blackbird	u		u	u
Common Grackle*	c	c	c	c
Brown-headed Cowbird*	c	c	c	c
Orchard Oriole*	c	c	r	
Northern Oriole	u		О	
Old World FinchesPurple Finch+House FinchPine Siskin+	c c o	u	u u u	c c u
American Goldfinch*	c	c	c	c
Evening Grosbeak+	0		r	u
Weaver FinchesHouse Sparrow*	c	c	c	c

Accidental Birds

The following species have been observed sporadically on the refuge and are considered accidental:

Eurasian Wigeon American White Pelican Tri-colored Heron Glossy Ibis Roseate Spoonbill Fulvous Whistling Duck Mute Swan Brant Ross' Goose Barnacle Goose Cinnamon Teal Mississippi Kite Northern Goshawk Yellow Rail Purple Gallinule Piping Plover Marbled Godwit Red-necked Phalarope Laughing Gull Franklin's Gull Common Ground Dove Snowy Owl Swainson's Warbler Snow Bunting Western Meadowlark Yellow-headed Blackbird

Sighting Notes	
Date	
Time	
Weather	
Wednier	
No of anosina	-
No. of species	
D . 4	
Route or area	
Observers	
Remarks	

4	
The Blue Goose is the traditional	
symbol for the	
National Wildlife	







